# SAFETY DATA SHEET



Version Revision Date: Date of last issue: ---

1.0 --- Date of first issue: July 1, 2021

#### **SECTION 1. IDENTIFICATION**

**Product name** Trusscore Trims/Sheets/Boards

Product use Home and Building Construction Components

Brands Trusscore Trims, Norlock, Trusscore Wall&CeilingBoard,

Ribcore, Slatwall, Tempwall

Manufacturer or supplier's details

Trusscore Inc.,

Canadian Manufacturing & Head Office, 140 Minto Road

Palmerston, Ontario Canada N0G 2P0

U.S.A. Manufacturing, 6161 Ventnor Ave. Dayton, Ohio

45414

**Telephone** 1-888-418-4679

**Fax** 937-742-7022

#### **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture

No applicable GHS categories.

**GHS** label elements

No applicable GHS categories

Precautionary Statements No applicable GHS categories

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

This product is an article as defined in 29 CFR 1910.1200. It will not result in exposure to hazardous chemicals under normal conditions of use. This product is not subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372. This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

# **Hazardous ingredients**

Ingredient name	<b>CAS Number</b>	Weight %	<b>GHS Classification</b>
Polyvinyl chloride	9002-86-2	70-80	Not Classified
Titanium dioxide	13463-67-7	5-7	Not Classified
Calcium carbonate	1317-65-3	5-10	Not Classified

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# **SECTION 4. FIRST AID MEASURES**

General advice	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Eye contact (Dust exposures)	Flush eyes with plenty of water or saline for at least 15 minutes. Consult a physician.
Skin contact (Dust exposures)	Wash skin with soap and water for at least 15 minutes. Consult a physician if irritation persists.
Inhalation (Dust exposures)	Remove person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If unconscious place in recovery position and seek medical advice. If

symptoms persist, call a physician. Maintain an open

airway. Loosen tight clothing.

If swallowed (Dust exposures)

Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Keep respiratory

tract clear. Never give anything by mouth to an

unconscious person. If unconscious place in recovery

position and seek medical advice.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Flammability of the product

While not considered "flammable" or "combustible" as defined by OSHA or DOT, the material will burn if exposed

to a strong ignition source.

Specific hazards during fire

Dust or fines dispersed in the air can be explosive if

subjected to a strong ignition source.

Suitable extinguishing media

Dry chemical, Water spray (fog), foam, or carbon dioxide

Special protective equipment

Firefighters must wear NIOSH approved positive pressure, self-contained breathing apparatus and full protective

clothing.

Hazardous combustion products

Carbon dioxide, carbon monoxide, hydrogen chloride and other toxic fumes generated with combustion. Other combustion products from incomplete combustion of

organic compounds should be anticipated

Advice for firefighters

Evacuate all personnel from danger area. PVC will not continue to burn without an external fire source. The gaseous products of PVC combustion are hydrogen chloride, carbon monoxide, carbon dioxide and other toxic gases. Exposure to combustion products may be fatal and

should be avoided

Other explosion hazards

May generate static discharge spark when handled. Not

sensitive to impact or spark.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8) when exposing to chips or dust from fabricating PVC sheets/trims

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Do not allow spills to enter drains or waterways.

Methods and material for containment and cleaning up

When producing chips or dust from fabricating PVC sheets/trims, sweep, scoop, or vacuum and remove. Vacuuming or wet methods preferred if dusts are present. Dispose of only in accordance with local, state, and federal

regulations. Recycling of PVC products should be

encouraged whenever possible.

#### **SECTION 7. HANDLING AND STORAGE**

Precautions for safe

handling

Handle containers carefully to prevent damage and

spillage.

Conditions for safe storage, including any

incompatibilities

Product is stable at ambient temperatures.

Keep away from heat, flammable chemicals.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Ingredients with workplace control parameters

Occupational expose limits

CAS#	Ingredient	Source	Value
1317-65-3	Calcium carbonate	OSHA	TWA 15 mg/m³ (total) TWA 5 mg/m³ (resp)

		ACGIH	TWA: 10 mg/m <sup>3</sup> Ceiling: 20 mg/m <sup>3</sup>
		NIOSH	TWA 10 mg/m³ (total) TWA 5 mg/m³ (resp)
9002-86-2	PVC (Chloroethylene,	OSHA	No Established Limit
	polymer)	ACGIH	TWA: 1 mg/m <sup>3</sup>
		NIOSH	No Established Limit
13463-67-7	Titanium dioxide	OSHA	TWA 15 mg/m <sup>3</sup>
		ACGIH	TWA: 10 mg/m <sup>3</sup>
		NIOSH	No Established Limit

The exposure limits for nuisance dust are:

OSHA PEL	• 5 mg/m³ respirable
	• 15 mg/m³ total dust
ACGIH	• 3 mg/m³ respirable
	• 10 mg/m³ inhalable
DFG MAK	• 1.5 mg/m <sup>3</sup>

# **Engineering controls**

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.

# Personal protective equipment

**Respiratory** If workers are exposed to concentrations above the **protection** exposure limit, they must use the appropriate, certified

respirators.

**Eye protection** Safety goggles with side-shields are recommended.

Skin and body protection

Wear protective gloves when cutting or fabricating sheet or trims. Use thermal gloves when handling hot or molten

sheet.

**Hygiene measures** When using do not eat, drink, or smoke. Wash hands

before breaks and at the end of workday. Promptly remove

soiled clothing and wash thoroughly before reuse.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** Solid Plastic

**Color** Various colors

**Odor** Odorless

Odor threshold Not determined

**pH** No data available

Melting point / freezing point

No data available

Initial boiling point and boiling range

No data available

Flash Point No data available

**Evaporation rate** No data available

Flammability (solid,

gas)

No data available

**Upper explosion limit** No data available

**Lower explosion limit** No data available

Vapor pressure < 0.1 (solid)

Relative vapor density No data available

Relative density 1.3 - 1.5

Water solubility Insoluble

Partition coefficient n- No data available

octanol/water

**Auto-ignition** temperature

No data available

Decomposition temperature

No data available

Viscosity No data available

Heat deflection temp 160°F (71°C)

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity	Hazardous Polymerization will not occur.
Chemical stability	Stable under normal circumstances.
Possibility of hazardous reactions	Not known
Conditions to avoid	No data available.
Incompatible materials	The product can dissolve in hydrocarbon solvents; especially ketones, esters, aromatic hydrocarbons and halogenated organic solvents.
Hazardous decomposition products	Carbon dioxide, carbon monoxide, hydrogen chloride and other toxic fumes generated with combustion. Other combustion products from incomplete combustion of organic compounds and smoke particulate should be anticipated.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

# **Acute toxicity**

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
PVC (Chloroethylene, polymer) - (9002- 86-2)	No data available	No data available	No data available	No data available	No data available
Titanium dioxide - (13463-67-7)	10,000.00, Rat - Category: NA	10,000.00, Rabbit - Category: NA	No data available	6.82, Rat - Category: NA	No data available
Calcium carbonate - (1317-65-3)	No data available	No data available	No data available	No data available	No data available

# Carcinogen Data

CAS#	Ingredient	Source	Value
1317-65-3	Calcium carbonate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
9002-86-2	PVC (Chloroethylene,	OSHA	Select Carcinogen: No
	polymer)	NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
13463-67-7	Titanium dioxide	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No;

Classification	Category	Hazard Description
Acute toxicity (oral)	Not Applicable	Not Applicable
Acute toxicity (dermal)	Not Applicable	Not Applicable

Acute toxicity (inhalation)	Not Applicable	Not Applicable
Skin corrosion/irritation	Not Applicable	Not Applicable
Serious eye damage/irritation	Not Applicable	Not Applicable
Respiratory sensitization	Not Applicable	Not Applicable
Skin sensitization	Not Applicable	Not Applicable
Germ cell mutagenicity	Not Applicable	Not Applicable
Carcinogenicity	Not Applicable	Not Applicable
Reproductive toxicity	Not Applicable	Not Applicable
STOT-single exposure	Not Applicable	Not Applicable
STOT-repeated exposure	Not Applicable	Not Applicable
Aspiration hazard	Not Applicable	Not Applicable

## **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

No data indicating toxicity to aquatic or terrestrial life.

## **Fate and Transport**

Polyvinyl chloride discharged into the environment may occur as particulate in air emissions and suspended solids in water and as components of solid wastes.

## Persistence and degradability

Product persists in the environment indefinitely. Product disintegrates slowly with exposure to heat and light. Product may degrade in anaerobic conditions.

# **Bioaccumulative potential**

Product does not bioaccumulate

# **Mobility in soil**

Soil/water partition coefficient (KOC) : No data available

## Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals

#### Other adverse effects

No known significant effects or critical hazards.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. The product should not be allowed to enter drains, water courses or the soil. Send to a licensed waste management company. Observe all federal, state and local regulations when disposing of this substance.

#### **SECTION 14. TRANSPORT INFORMATION**

This product is not regulated by the DOT for transport within the United States. This product is not regulated by the Canadian TDG Hazard Class & PIN for transport within Canada. This product is not prohibited for air shipment by national or international regulations on the transport of dangerous goods.

#### **SECTION 15. REGULATORY INFORMATION**

# **Regulatory Overview**

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

# **Toxic Substance Control Act (TSCA)**

All components of this material are either listed or exempt from listing on the TSCA Inventory.

#### **WHMIS Classification**

D2A

#### **US EPA Tier II Hazards**

Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): No

#### EPCRA 311/312 Chemicals and RQs

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 302 Extremely Hazardous**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **EPCRA 313 Toxic Chemicals**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# **Proposition 65 - Carcinogens (>0.0%)**

Airborne unbound particles of titanium dioxide of respirable size are listed as being carcinogenic per California Proposition 65.

# **Proposition 65 - Developmental Toxins (>0.0%)**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# **Proposition 65 - Female Repro Toxins (>0.0%)**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **Proposition 65 - Male Repro Toxins (>0.0%)**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# **New Jersey RTK Substances (>1%)**

Calcium carbonate
PVC (Chloroethylene, polymer)
Titanium dioxide

# Pennsylvania RTK Substances (>1%)

Calcium carbonate Titanium dioxide

#### **SECTION 16. OTHER INFORMATION**

# **Hazardous Material Information System III (U.S.A.):**

Health	1
Flammability	0
Physical hazards	1

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the

preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

Issue Date : July 1, 2021

This version replaces all previous versions.

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. TRUSSCORE INC. ASSUMES NO RESPONSIBILITY FOR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE. THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behavior of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behavior should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED TRUSSCORE EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR TRUSSCORE PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

Trusscore Trims, Norlock, Trusscore Wall&CeilingBoard, Ribcore, Slatwall, Tempwall and the Trusscore logo are trademarks of Trusscore Inc.